

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant:

Matsuda et al.

Serial Number:

10/057,779

Filed:

24 January 2002

Group Art Unit:

2828

Examiner:

L. A. Al Nazer

Confirmation Number:

9335

Title:

Laser Oscillator And Light Scattering Particle Detector Using The Same

TRANSMITTAL OF CORRECTED FORMAL DRAWINGS NOT TO HAVE NEGATIVE EFFECT ON PATENT TERM ADJUSTMENT BECAUSE THEY ARE FILED IN RESPONSE TO EXAMINER REQUIREMENT IN NOTICE OF ALLOWABILITYDATED 18 JUNE 2004

Mail Stop Issue Fee Commissioner For Patents Post Office Box 1450 Alexandria, Virginia 22313-1450

ATTENTION: Official Draftsperson

Sir:

In connection with the subject application and pursuant to the Patent Office's Notice Of Allowability dated 18 June 2004, applicant encloses herewith for filing fourteen (14) sheets of replacement formal drawings containing Figs. 1-24.

It is now believed that all of the Examiner's objections as set forth in the 27 February 2003 office action are now overcome.

Applicant understands that it has become routine for the Patent Office to assess negative Patent Term Adjustment against an applicant when said applicant files drawings after the Notice Of Allowability, when such drawings are not specifically requested in the Notice Of Allowability. These drawings, however, are filed in response to specific examiner request in the Notice Of Allowability, so no negative Patent Term Adjustment is warranted.

Favorable reconsideration is respectfully requested.

Respectfully submitted,

Customer Number 21828 Carrier, Blackman & Associates, P.C. 24101 Novi Road, Suite 100 Novi, Michigan 48375 20 September 2004

Joseph P. Carrier

Attorney for Applicant Registration No. 31,748

(248) 344-4422

I hereby certify that this correspondence is being deposited with the U.S. Postal Service as first class mail in an envelope addressed to Mail Stop Issue Fee, Commissioner For Patents, Post Office Box 1450, Alexandria, Virginia 22313-1450 on 20 September 2004.

Dated: 20 September 2004

JPC/eb enctosures Erica Drigge